

Introduction

The Appendix I EDIFACT Mapping for NCTS Phase 4 contains the EDIFACT mapping for all the Information Exchanges that are to be sent in EDIFACT-format in NCTS.

It provides per EDIFACT template used, the list of Data Groups and Data Items and the EDIFACT element to which they are mapped. It is a way another representation of the EDIFACT Mapping as defined in Appendix H for NCTS (Phase 4).

Content of the Tables

The tables contain the following columns.

Column name	Description
SAD Box	The number and name of the corresponding box on the Single Administrative Document for this data item. This information is only shown for DUSDEC and CUSRES correlation tables.
Message Element	The full name of the data item, consisting of the data group name (full hierarchical name) to which the data item belongs and the name of the data item itself.
Data Type	The format of the data item.
Pos	The position of the EDIFACT-segment in the UNSM. This position refers to the branching diagram (DDNTA Appendix G).
EDIFACT Mapping	The mapping information for a data item on a particular EDIFACT segment.

Content of the report

The report contains 6 message-related sections, namely:

- CONTRL
- CUSDEC
- CUSRES
- FUNACK (CUSRES functional errors)
- GESMES
- PARTTC (PARTIN modified)

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
BANSTA						
BANSTA		MESSAGE				
BANSTA		MESSAGE.Syntax identifier	a4	21	0	UNB[0].S001.0001
BANSTA		MESSAGE.Syntax version number	n1	22	0	UNB[0].S001.0002
BANSTA		MESSAGE.Message sender	an..35		0	UNB[0].S002.0004
BANSTA		MESSAGE.Sender identification code qualifier	an..4		0	UNB[0].S002.0007
BANSTA		MESSAGE.Message recipient	an..35		0	UNB[0].S003.0010
BANSTA		MESSAGE.Recipient identification code qualifier	an..4		0	UNB[0].S003.0007
BANSTA		MESSAGE.Date of preparation	n6		0	UNB[0].S004.0017
BANSTA		MESSAGE.Time of preparation	n4		0	UNB[0].S004.0019
BANSTA		MESSAGE.Interchange control reference	an..14		0	UNB[0].0020
BANSTA		MESSAGE.Interchange control reference	an..14		34	UNZ[34].0020
BANSTA		MESSAGE.Recipient's reference/password	an..14		0	UNB[0].S005.0022
BANSTA		MESSAGE.Recipient's reference/password qualifier	an2		0	UNB[0].S005.0025
BANSTA		MESSAGE.Application reference	an..14		0	UNB[0].0026
BANSTA		MESSAGE.Priority	a1		0	UNB[0].0029
BANSTA		MESSAGE.Acknowledgement request	n1	27	0	UNB[0].0031
BANSTA		MESSAGE.Communications agreement id	an..35		0	UNB[0].0032
BANSTA		MESSAGE.Test indicator	n1	27	0	UNB[0].0035
BANSTA		MESSAGE.Message identification	an..14		1	UNH[1](S009.0065=BANSTA)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0062
BANSTA		MESSAGE.Message identification	an..14		33	UNT[33].0062
BANSTA		MESSAGE.Message type	an..6	60	1	UNH[1](S009.0065=BANSTA)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S009.005
BANSTA		MESSAGE.Common access reference	an..35		1	UNH[1](S009.0065=BANSTA)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0068
BANSTA		MESSAGE - (REQUESTER PRINCIPAL) TRADER				
BANSTA		MESSAGE - (REQUESTER PRINCIPAL) TRADER.TIN	an..17		10	NAD[10](3035=AF).C082.3039
BANSTA		MESSAGE - (REQUESTER PRINCIPAL) TRADER.Holder ID TIR	an..17		10	NAD[10](3035=AF).C080.3036#2
BANSTA		MESSAGE - (GUARANTEE) CUSTOMS OFFICE				
BANSTA		MESSAGE - (GUARANTEE) CUSTOMS OFFICE.Reference number	an8		10	NAD[10](3035=GU).C082.3039
BANSTA		MESSAGE - (GUARANTEE) COUNTRY				
BANSTA		MESSAGE - (GUARANTEE) COUNTRY.Country code	a2	70	10	NAD[10](3035=GF).C082.3039
BANSTA		MESSAGE - (REQUESTER) CUSTOMS OFFICE				
BANSTA		MESSAGE - (REQUESTER) CUSTOMS OFFICE.Reference number	an8		10	NAD[10](3035=CM).C082.3039
BANSTA		MESSAGE - (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE				
BANSTA		MESSAGE - (GUARANTEE SIMPLIFICATION) CUSTOMS OFFICE.Reference number	an8		10	NAD[10](3035=AM).C082.3039
BANSTA		MESSAGE - (RECOVERY) CUSTOMS OFFICE				
BANSTA		MESSAGE - (RECOVERY) CUSTOMS OFFICE.Reference number	an8		10	NAD[10](3035=RE).C082.3039
BANSTA		MESSAGE - GUARANTEE REFERENCE				
BANSTA		MESSAGE - GUARANTEE REFERENCE.Guarantee reference number (GRN)	an..24		13	LIN[13](1229=10).C212.7140
BANSTA		MESSAGE - GUARANTEE REFERENCE.Acceptance date	n8		15	LIN.RFF.DTM[15](C507.2005=143).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE.Guarantee type	an1	51	13	LIN[13](1229=10).C212.7143
BANSTA		MESSAGE - GUARANTEE REFERENCE.Guarantee monitoring code	n1	50	13	LIN[13](1229=10).C212.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY				
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Query identifier	n1	54	17	LIN.SEQ.GIS[17](C529.7365=3).C529.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period from date	n8		18	LIN.SEQ.DTM[18](C507.2005=273).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTEE QUERY.Period to date	n8		18	LIN.SEQ.DTM[18](C507.2005=206).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.Name	an..35		27	LIN.SEQ.NAD[27](3035=AF).C080.3036#1

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.Street and number	an..35		27	LIN.SEQ.NAD[27](3035=AF).C059.3042#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.Postal code	an..9		27	LIN.SEQ.NAD[27](3035=AF).3251
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.City	an..35		27	LIN.SEQ.NAD[27](3035=AF).3164
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.Country code	a2	8	27	LIN.SEQ.NAD[27](3035=AF).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.NAD LNG	a2	12	27	LIN.SEQ.NAD[27](3035=AF).3229
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.TIN	an..17		27	LIN.SEQ.NAD[27](3035=AF).C082.3039
BANSTA		MESSAGE - GUARANTEE REFERENCE - (OWNER PRINCIPAL) TRADER.Holder ID TIR	an..17		27	LIN.SEQ.NAD[27](3035=AF).C080.3036#2
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Document/reference number	an..21		23	LIN.SEQ.DOC[23](C002.1001=101).C002.1000
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Covered amount	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=6).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Currency	an3	48	20	LIN.SEQ.CUX[20](C504#1.6347=7).C504#1.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Lock date	n8		18	LIN.SEQ.DTM[18](C507.2005=109).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Arrival date	n8		18	LIN.SEQ.DTM[18](C507.2005=132).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - USAGE.Date of release	n8		18	LIN.SEQ.DTM[18](C507.2005=161).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - EXPOSURE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=14).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Exposure counter	n..8		16	LIN.SEQ[16](1245=7).C286.1050
BANSTA		MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Balance	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=34).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - EXPOSURE.Currency	an3	48	20	LIN.SEQ.CUX[20](C504#1.6347=7).C504#1.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR				
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Name	an..35		22	LIN.SEQ.FTX[22](4451=ACB).C108.4440#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Street and number	an..35		22	LIN.SEQ.FTX[22](4451=ACB).C108.4440#2
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Postal code	an..9		22	LIN.SEQ.FTX[22](4451=ACB).C107.4441
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.City	an..35		22	LIN.SEQ.FTX[22](4451=ACB).C108.4440#3
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Country code	a2	70	22	LIN.SEQ.FTX[22](4451=ACB).C107.3055
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.NAD LNC	a2	12	22	LIN.SEQ.FTX[22](4451=ACB).3453
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.TIN	an..17		17	LIN.SEQ.GIS[17](C529.7365=10).C529.7187
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Contact person	an..35		23	LIN.SEQ.DOC[23](C002.1001=10).C503.1004
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Phone number	an..35		23	LIN.SEQ.DOC[23](C002.1001=10).C503.1366
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Fax number	an..35		23	LIN.SEQ.DOC[23](C002.1001=10).C002.1000
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Telex number	an..35		22	LIN.SEQ.FTX[22](4451=ACB).C108.4440#5
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.E-mail address	an..70		22	LIN.SEQ.FTX[22](4451=ACB).C108.4440#4
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR.Language code	a2	12	22	LIN.SEQ.FTX[22](4451=ACB).4453
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES				
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Address type	a1	25	27	LIN.SEQ.NAD[27](3035=AH).C058.3124#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Name	an..35		27	LIN.SEQ.NAD[27](3035=AH).C080.3036#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Street and number	an..35		27	LIN.SEQ.NAD[27](3035=AH).C059.3042#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Postal code	an..9		27	LIN.SEQ.NAD[27](3035=AH).3251
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.City	an..35		27	LIN.SEQ.NAD[27](3035=AH).3164

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Country code	a2	70	27	LIN.SEQ.NAD[27](3035=AH).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.NAD LNG	a2	12	27	LIN.SEQ.NAD[27](3035=AH).3229
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Contact person	an..35		27	LIN.SEQ.NAD[27](3035=AH).C080.3036#2
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Phone number	an..35		27	LIN.SEQ.NAD[27](3035=AH).C058.3124#3
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Fax number	an..35		27	LIN.SEQ.NAD[27](3035=AH).C058.3124#4
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Telex number	an..35		27	LIN.SEQ.NAD[27](3035=AH).C058.3124#5
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.E-mail address	an..70		27	LIN.SEQ.NAD[27](3035=AH).C059.3042#3
BANSTA		MESSAGE - GUARANTEE REFERENCE - GUARANTOR - GUARANTOR OTHER ADDRESSES.Language code	a2	12	27	LIN.SEQ.NAD[27](3035=AH).C082.3039
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Reference amount	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=6).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Percentage of reference amount	n..3		21	LIN.SEQ.PCD[21](C501.5245=7).C501.5482
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Guarantee amount	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=166).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Currency	an3	48	20	LIN.SEQ.CUX[20](C504#1.6347=7).C504#1.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Number of certificates	n..8		23	LIN.SEQ.DOC[23](C002.1001=16).C503.1004
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Validity date	n8		18	LIN.SEQ.DTM[18](C507.2005=157).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity date	n8		18	LIN.SEQ.DTM[18](C507.2005=192).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason code	an3		22	LIN.SEQ.FTX[22](4451=ACD).4453
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason	an..350		22	LIN.SEQ.FTX[22](4451=ACD).C108.4440#1
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Invalidity reason LNG	a2	12	22	LIN.SEQ.FTX[22](4451=ACD).3453
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Liability liberation date	n8		18	LIN.SEQ.DTM[18](C507.2005=261).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Limited validity (sensitive goods)	n1	27	17	LIN.SEQ.GIS[17](C529.7365=5).C529.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE.Restricted use (suspended goods)	n1	27	17	LIN.SEQ.GIS[17](C529.7365=6).C529.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - GOODS ITEM				
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - GOODS ITEM.Commodity code	an..22		24	LIN.SEQ.FII[24](3035=CG).C088.3433
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - GOODS ITEM.Sensitive goods code	n..2	64	24	LIN.SEQ.FII[24](3035=CG).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - GOODS ITEM.Goods description	an..260		26	LIN.SEQ.FII.COM[26].C076.3148
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - GOODS ITEM.Goods description LNG	a2	12	26	LIN.SEQ.FII.COM[26].C076.3155

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION EC				
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION EC.Not valid for EC	n1	27	24	LIN.SEQ.FII[24](3035=AN).C078.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION NON EC				
BANSTA		MESSAGE - GUARANTEE REFERENCE - COMPREHENSIVE GUARANTEE - VALIDITY LIMITATION NON EC.Not valid for other contracting parties	a2	71	24	LIN.SEQ.FII[24](3035=IU).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Guarantee amount	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=166).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR.Currency	an3	48	20	LIN.SEQ.CUX[20](C504#1.6347=7).C504#1.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - GOODS ITEM				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - GOODS ITEM.Commodity code	an..22		24	LIN.SEQ.FII[24](3035=GG).C088.3433
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - GOODS ITEM.Sensitive goods code	n..2	64	24	LIN.SEQ.FII[24](3035=GG).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - GOODS ITEM.Goods description	an..260		26	LIN.SEQ.FII.COM[26].C076.3148
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - GOODS ITEM.Goods description LNG	a2	12	26	LIN.SEQ.FII.COM[26].C076.3155
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - (DEPARTURE) CUSTOMS OFFICE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - (DEPARTURE) CUSTOMS OFFICE.Reference number	an8		24	LIN.SEQ.FII[24](3035=CM).C078.3194
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - (DESTINATION) CUSTOMS OFFICE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - (DESTINATION) CUSTOMS OFFICE.Reference number	an8		24	LIN.SEQ.FII[24](3035=CPD).C078.3194
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - VALIDITY LIMITATION EC				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - VALIDITY LIMITATION EC.Not valid for EC	n1	27	24	LIN.SEQ.FII[24](3035=AN).C078.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - VALIDITY LIMITATION NON EC				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE BY GUARANTOR - VALIDITY LIMITATION NON EC.Not valid for other contracting parties	a2	71	24	LIN.SEQ.FII[24](3035=IU).3207
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER				
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Date of issue	n8		18	LIN.SEQ.DTM[18](C507.2005=182).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Expiry date	n8		18	LIN.SEQ.DTM[18](C507.2005=36).C507.2380
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Hard copy given to Principal	n1	27	17	LIN.SEQ.GIS[17](C529.7365=15).C529.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Limited validity (sensitive goods)	n1	27	17	LIN.SEQ.GIS[17](C529.7365=5).C529.1131
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.TIR carnet	n1	27	17	LIN.SEQ.GIS[17](C529.7365=13).C529.1131

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Voucher amount	n..15,2		19	LIN.SEQ.MOA[19](C516.5025=229).C516.5004
BANSTA		MESSAGE - GUARANTEE REFERENCE - INDIVIDUAL GUARANTEE VOUCHER.Currency	an3	48	20	LIN.SEQ.CUX[20](C504#1.6347=7).C504#1.6345
BANSTA		MESSAGE - GUARANTEE REFERENCE - ACCESS CODE				
BANSTA		MESSAGE - GUARANTEE REFERENCE - ACCESS CODE.Access code	an4		14	LIN.RFF[14](C506.1153=ABL).C506.1154

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping	
CUSDEC							
CUSDEC		MESSAGE					
CUSDEC		MESSAGE.Syntax identifier	a4	21	0	UNB[0].S001.0001	
CUSDEC		MESSAGE.Syntax version number	n1	22	0	UNB[0].S001.0002	
CUSDEC		MESSAGE.Message sender	an..35		0	UNB[0].S002.0004	
CUSDEC		MESSAGE.Sender identification code qualifier	an..4		0	UNB[0].S002.0007	
CUSDEC		MESSAGE.Message recipient	an..35		0	UNB[0].S003.0010	
CUSDEC		MESSAGE.Recipient identification code qualifier	an..4		0	UNB[0].S003.0007	
CUSDEC		MESSAGE.Date of preparation	n6		0	UNB[0].S004.0017	
CUSDEC		MESSAGE.Time of preparation	n4		0	UNB[0].S004.0019	
CUSDEC		MESSAGE.Interchange control reference	an..14		152	UNZ[152].0020	
CUSDEC		MESSAGE.Interchange control reference	an..14		0	UNB[0].0020	
CUSDEC		MESSAGE.Recipient's reference/password	an..14		0	UNB[0].S005.0022	
CUSDEC		MESSAGE.Recipient's reference/password qualifier	an2		0	UNB[0].S005.0025	
CUSDEC		MESSAGE.Application reference	an..14		0	UNB[0].0026	
CUSDEC		MESSAGE.Priority	a1		0	UNB[0].0029	
CUSDEC		MESSAGE.Acknowledgement request	n1	27	0	UNB[0].0031	
CUSDEC		MESSAGE.Communications agreement id	an..35		0	UNB[0].0032	
CUSDEC		MESSAGE.Test indicator	n1	27	0	UNB[0].0035	
CUSDEC		MESSAGE.Message identification	an..14		1	UNH[1](S009.0065=CUSDEC)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0062	
CUSDEC		MESSAGE.Message identification	an..14		151	UNT[151].0062	
CUSDEC		MESSAGE.Message type	an..6	60	1	UNH[1](S009.0065=CUSDEC)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S009.005	
CUSDEC		MESSAGE.Common access reference	an..35		1	UNH[1](S009.0065=CUSDEC)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0068	
CUSDEC		MESSAGE.Message sequence number	n..2		1	UNH[1](S009.0065=CUSDEC)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007	
CUSDEC		MESSAGE.First and last transfer	a1	28	1	UNH[1](S009.0065=CUSDEC)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007	
CUSDEC		MESSAGE - HEADER					
CUSDEC	7	Reference number of the declaration	MESSAGE - HEADER.Reference number	an..22		12	UFF[12](C506.1153=ABE).C506.1154
CUSDEC	C	Document/reference number	MESSAGE - HEADER.Document/reference number	an..21		2	BGM[2].C106.1004
CUSDEC	1	Type of declaration	MESSAGE - HEADER.Type of declaration	an..9	31	2	BGM[2].C002.1000
CUSDEC	0,70833333	Country of destination, code	MESSAGE - HEADER.Country of destination code	a2	8	4	LOC[4](3227=36).C517.3225
CUSDEC	30	Agreed location of goods	MESSAGE - HEADER.Agreed location of goods, code	an..17		4	LOC[4](3227=14).C517.3225
CUSDEC	30	Agreed location of goods	MESSAGE - HEADER.Agreed location of goods	an..35		4	LOC[4](3227=14).C517.3224
CUSDEC			MESSAGE - HEADER.Agreed location of goods LNG	a2	12	4	LOC[4](3227=14).5479
CUSDEC	30	Authorised location of the goods	MESSAGE - HEADER.Authorised location of goods, code	an..17		4	LOC[4](3227=14).C519.3223
CUSDEC	27	Place of loading	MESSAGE - HEADER.Place of loading, code	an..17		4	LOC[4](3227=9).C517.3225
CUSDEC	0,625	Country of dispatch/export, code	MESSAGE - HEADER.Country of dispatch/export code	a2	8	4	LOC[4](3227=35).C517.3225
CUSDEC			MESSAGE - HEADER.Customs sub place	an..17		4	LOC[4](3227=26).C517.3225
CUSDEC	26	Inland transport mode	MESSAGE - HEADER.Inland transport mode	n..2	18	17	TDI[17](8051=1).C220.8067
CUSDEC	25	Mode of transport at border	MESSAGE - HEADER.Transport mode at border	n..2	18	17	TDI[17](8051=11).C220.8067
CUSDEC	18	Id. of means of transport at departure	MESSAGE - HEADER.Identity of means of transport at departure (exp/trans)	an..27		17	TDI[17](8051=12).C222.8212

SAD Box			Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC	18	Id. of means of trans. at dep. language	MESSAGE - HEADER.Identity of means of transport at departure LNG	a2	12	18	TDT(8051=12).TPL[18].C222.8453
CUSDEC			MESSAGE - HEADER.Nationality of means of transport at departure	a2	8	17	TDT[17](8051=12).C222.8453
CUSDEC	21	Id. of active means o.t. crossing border	MESSAGE - HEADER.Identity of means of transport crossing border	an..27		17	TDT[17](8051=11).C222.8212
CUSDEC			MESSAGE - HEADER.Identity of means of transport crossing border LNG	a2	12	18	TDT(8051=11).TPL[18].C222.8453
CUSDEC	21	Nat. of active means o.t. crossing border	MESSAGE - HEADER.Nationality of means of transport crossing border	a2	8	17	TDT[17](8051=11).C222.8453
CUSDEC			MESSAGE - HEADER.Type of means of transport crossing border	n..2		17	TDT[17](8051=11).C228.8179
CUSDEC	19	Containerised indicator	MESSAGE - HEADER.Containerised indicator	n1	27	6	GIS[6](C529.1131=109).C529.7365
CUSDEC			MESSAGE - HEADER.NCTS return copy	n1	27	6	GIS[6](C529.1131=62).C529.7365
CUSDEC			MESSAGE - HEADER.Acceptance date	n8		5	DTM[5](C507.2005=148).C507.2380
CUSDEC			MESSAGE - HEADER.Issuing date	n8		5	DTM[5](C507.2005=182).C507.2380
CUSDEC			MESSAGE - HEADER.Dialog language indicator at departure	a2	12	11	FTX[11](4451=ACB).3453
CUSDEC			MESSAGE - HEADER.NCTS accompanying document language code	a2	12	11	FTX[11](4451=ALL).3453
CUSDEC	5	Total number of items	MESSAGE - HEADER.Total number of items	n..5		145	CNT[145](C270.6069=5).C270.6066
CUSDEC	6	Total number of packages	MESSAGE - HEADER.Total number of packages	n..7		145	CNT[145](C270.6069=11).C270.6066
CUSDEC	35	Total gross mass	MESSAGE - HEADER.Total gross mass	n..11,3		8	MEA[8](6311=WT)(C502.6313=AAD)(C174.6411=KGM).C174.6314
CUSDEC			MESSAGE - HEADER.Binding itinerary	n1	27	11	FTX[11](4451=ABL).C108.4440#1
CUSDEC			MESSAGE - HEADER.Authorisation id	an..17		12	FFF[12](C506.1153=LAN).C506.1154
CUSDEC			MESSAGE - HEADER.Amendment place	an..35		4	LOC[4](3227=112).C517.3224
CUSDEC			MESSAGE - HEADER.Amendment place LNG	a2	12	4	LOC[4](3227=112).5479
CUSDEC			MESSAGE - HEADER.Date of amendment	n8		5	DTM[5](C507.2005=318).C507.2380
CUSDEC			MESSAGE - HEADER.Amendment acceptance date	n8		5	DTM[5](C507.2005=184).C507.2380
CUSDEC			MESSAGE - HEADER.Arrival notification place	an..35		4	LOC[4](3227=60).C517.3224
CUSDEC			MESSAGE - HEADER.Arrival notification place LNG	a2	12	4	LOC[4](3227=60).5479
CUSDEC			MESSAGE - HEADER.Arrival agreed Location code	an..17		4	LOC[4](3227=20).C517.3225
CUSDEC			MESSAGE - HEADER.Arrival agreed Location of goods	an..35		4	LOC[4](3227=20).C517.3224
CUSDEC			MESSAGE - HEADER.Arrival agreed Location of goods LNG	a2	12	4	LOC[4](3227=20).5479
CUSDEC			MESSAGE - HEADER.Arrival authorised location of goods	an..17		4	LOC[4](3227=84).C517.3225
CUSDEC			MESSAGE - HEADER.Simplified procedure flag	n1	27	6	GIS[6](C529.1131=119).C529.7365
CUSDEC			MESSAGE - HEADER.Arrival notification date	n8		5	DTM[5](C507.2005=132).C507.2380
CUSDEC			MESSAGE - HEADER.Dialog language indicator at destination	a2	12	11	FTX[11](4451=ACB).3453
CUSDEC			MESSAGE - HEADER.Date of cancellation request	n8		5	DTM[5](C507.2005=318).C507.2380
CUSDEC			MESSAGE - HEADER.Cancellation reason	an..350		11	FTX[11](4451=ACD).C108.4440#1
CUSDEC			MESSAGE - HEADER.Cancellation reason LNG	a2	12	11	FTX[11](4451=ACD).3453
CUSDEC	50	Declarant: date of the declaration	MESSAGE - HEADER.Declaration date	n8		5	DTM[5](C507.2005=137).C507.2380
CUSDEC	50	Declarant: place of signature	MESSAGE - HEADER.Declaration place	an..35		4	LOC[4](3227=91).C517.3224
CUSDEC	50	Declarant: place of signature language	MESSAGE - HEADER.Declaration place LNG	a2	12	4	LOC[4](3227=91).5479
CUSDEC			MESSAGE - HEADER.No release motivation	an..350		11	FTX[11](4451=ABQ).C108.4440#1
CUSDEC			MESSAGE - HEADER.No release motivation LNG	a2	12	11	FTX[11](4451=ABQ).3453
CUSDEC			MESSAGE - HEADER.Write-off date	n8		5	DTM[5](C507.2005=204).C507.2380
CUSDEC			MESSAGE - HEADER.Specific Circumstance Indicator	a1	96	12	FFF[12](C506.1153=AMJ).C506.1154
CUSDEC			MESSAGE - HEADER.Transport charges/ Method of Payment	a1	116	11	FTX[11](4451=PAI).4453
CUSDEC			MESSAGE - HEADER.Commercial Reference Number	an..70		7	FII[7](3035=XX).C088.3436
CUSDEC			MESSAGE - HEADER.Security	n1	117	6	GIS[6](C529.1131=187).C529.7365
CUSDEC			MESSAGE - HEADER.Conveyance reference number	an..35		11	FTX[11](4451=ACR).C108.4440#1

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping	
CUSDEC		MESSAGE - HEADER.Place of unloading_code	an..35		4	LOC[4](3227=58).C517.3224	
CUSDEC		MESSAGE - HEADER.Place of unloading LNG	a2	12	4	LOC[4](3227=58).C517.3225	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER					
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.Name	an..35		22	NAD[22](3035=AF).C080.3036#1	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.Street and number	an..35		22	NAD[22](3035=AF).C059.3042#1	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.Postal code	an..9		22	NAD[22](3035=AF).3251	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.City	an..35		22	NAD[22](3035=AF).3164	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.Country code	a2	8	22	NAD[22](3035=AF).3207	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.NAD LNG	a2	12	22	NAD[22](3035=AF).3229	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.TIN	an..17		22	NAD[22](3035=AF).C082.3039	
CUSDEC		MESSAGE - (PRINCIPAL) TRADER.Holder ID TIR	an..17		22	NAD[22](3035=AF).C080.3036#2	
CUSDEC		MESSAGE - (CONSIGNOR) TRADER					
CUSDEC	2	Consignor name	MESSAGE - (CONSIGNOR) TRADER.Name	an..35		22	NAD[22](3035=CZ).C080.3036#1
CUSDEC	2	Consignor street and number	MESSAGE - (CONSIGNOR) TRADER.Street and number	an..35		22	NAD[22](3035=CZ).C059.3042#1
CUSDEC	2	Consignor postal code	MESSAGE - (CONSIGNOR) TRADER.Postal code	an..9		22	NAD[22](3035=CZ).3251
CUSDEC	2	Consignor city	MESSAGE - (CONSIGNOR) TRADER.City	an..35		22	NAD[22](3035=CZ).3164
CUSDEC	2	Consignor country	MESSAGE - (CONSIGNOR) TRADER.Country code	a2	8	22	NAD[22](3035=CZ).3207
CUSDEC	2	Consignor NAD language	MESSAGE - (CONSIGNOR) TRADER.NAD LNG	a2	12	22	NAD[22](3035=CZ).3229
CUSDEC	2	Consignor identification number	MESSAGE - (CONSIGNOR) TRADER.TIN	an..17		22	NAD[22](3035=CZ).C082.3039
CUSDEC		MESSAGE - (CONSIGNEE) TRADER					
CUSDEC	8	Consignee name	MESSAGE - (CONSIGNEE) TRADER.Name	an..35		22	NAD[22](3035=CN).C080.3036#1
CUSDEC	8	Consignee street and number	MESSAGE - (CONSIGNEE) TRADER.Street and number	an..35		22	NAD[22](3035=CN).C059.3042#1
CUSDEC	8	Consignee postal code	MESSAGE - (CONSIGNEE) TRADER.Postal code	an..9		22	NAD[22](3035=CN).3251
CUSDEC	8	Consignee city	MESSAGE - (CONSIGNEE) TRADER.City	an..35		22	NAD[22](3035=CN).3164
CUSDEC	8	Consignee country	MESSAGE - (CONSIGNEE) TRADER.Country code	a2	8	22	NAD[22](3035=CN).3207
CUSDEC	8	Consignee NAD language	MESSAGE - (CONSIGNEE) TRADER.NAD LNG	a2	12	22	NAD[22](3035=CN).3229
CUSDEC	8	Consignee identification number	MESSAGE - (CONSIGNEE) TRADER.TIN	an..17		22	NAD[22](3035=CN).C082.3039
CUSDEC		MESSAGE - (AUTHORISED CONSIGNEE) TRADER					
CUSDEC		MESSAGE - (AUTHORISED CONSIGNEE) TRADER.TIN	an..17		22	NAD[22](3035=TD).C082.3039	
CUSDEC		MESSAGE - (DESTINATION) TRADER					
CUSDEC		MESSAGE - (DESTINATION) TRADER.Name	an..35		22	NAD[22](3035=CPD).C080.3036#1	
CUSDEC		MESSAGE - (DESTINATION) TRADER.Street and number	an..35		22	NAD[22](3035=CPD).C059.3042#1	
CUSDEC		MESSAGE - (DESTINATION) TRADER.Postal code	an..9		22	NAD[22](3035=CPD).3251	
CUSDEC		MESSAGE - (DESTINATION) TRADER.City	an..35		22	NAD[22](3035=CPD).3164	
CUSDEC		MESSAGE - (DESTINATION) TRADER.Country code	a2	8	22	NAD[22](3035=CPD).3207	
CUSDEC		MESSAGE - (DESTINATION) TRADER.NAD LNG	a2	12	22	NAD[22](3035=CPD).3229	
CUSDEC		MESSAGE - (DESTINATION) TRADER.TIN	an..17		22	NAD[22](3035=CPD).C082.3039	
CUSDEC		MESSAGE - GUARANTOR					
CUSDEC		MESSAGE - GUARANTOR.Name	an..35		22	NAD[22](3035=SX).C080.3036#1	
CUSDEC		MESSAGE - GUARANTOR.Street and number	an..35		22	NAD[22](3035=SX).C059.3042#1	
CUSDEC		MESSAGE - GUARANTOR.Postal code	an..9		22	NAD[22](3035=SX).3251	
CUSDEC		MESSAGE - GUARANTOR.City	an..35		22	NAD[22](3035=SX).3164	
CUSDEC		MESSAGE - GUARANTOR.Country code	a2	70	22	NAD[22](3035=SX).3207	
CUSDEC		MESSAGE - GUARANTOR.NAD LNG	a2	12	22	NAD[22](3035=SX).3229	

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC		MESSAGE - GUARANTOR.TIN	an..17		22	NAD[22](3035= SX).C082.3039
CUSDEC		MESSAGE - (DEPARTURE) CUSTOMS OFFICE				
CUSDEC		MESSAGE - (DEPARTURE) CUSTOMS OFFICE.Reference number	an8		4	LOC[4](3227=118).C517.3225
CUSDEC		MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE				
CUSDEC		MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE.Reference number	an8		4	LOC[4](3227=22).C517.3225
CUSDEC		MESSAGE - (TRANSIT) CUSTOMS OFFICE				
CUSDEC		MESSAGE - (TRANSIT) CUSTOMS OFFICE.Reference number	an8		4	LOC[4](3227=50).C517.3225
CUSDEC		MESSAGE - (TRANSIT) CUSTOMS OFFICE.Arrival Time	n12		4	LOC[4](3227=50).C519.3223
CUSDEC		MESSAGE - (DESTINATION) CUSTOMS OFFICE				
CUSDEC	53	Customs office of destination: reference MESSAGE - (DESTINATION) CUSTOMS OFFICE.Reference number	an8		4	LOC[4](3227=45).C517.3225
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE				
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Reference number	an8		4	LOC[4](3227=168).C517.3225
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Customs office name	an..35		4	LOC[4](3227=168).C517.3224
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Street and number	an..35		4	LOC[4](3227=168).C519.3222
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Country code	a2	9	4	LOC[4](3227=168).C519.3223
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.Postal code	an..9		4	LOC[4](3227=168).C553.3233
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.City	an..35		4	LOC[4](3227=168).C553.3232
CUSDEC		MESSAGE - (RETURN COPIES) CUSTOMS OFFICE.NAD LNG	a2	12	4	LOC[4](3227=168).5479
CUSDEC		MESSAGE - CTL CONTROL				
CUSDEC		MESSAGE - CTL CONTROL.Amendment type flag	n1	27	6	GIS[6](C529.1131=165).C529.7365
CUSDEC		MESSAGE - CTL CONTROL.Continue unloading	n1	27	6	GIS[6](C529.1131=63).C529.7365
CUSDEC		MESSAGE - CONTROL RESULT				
CUSDEC		MESSAGE - CONTROL RESULT.Control date	n8		5	DTM[5](C507.2005=9).C507.2380
CUSDEC		MESSAGE - CONTROL RESULT.Control result code	an2	47	11	FTX[11](4451=ADO).C107.4441
CUSDEC		MESSAGE - CONTROL RESULT.Controlled by	an..35		22	NAD[22](3035=EI).C082.3039
CUSDEC		MESSAGE - CONTROL RESULT.Controlled by LNG	a2	12	22	NAD[22](3035=EI).3207
CUSDEC		MESSAGE - CONTROL RESULT.Date limit	n8		5	DTM[5](C507.2005=268).C507.2380
CUSDEC		MESSAGE - UNLOADING REMARK				
CUSDEC		MESSAGE - UNLOADING REMARK.State of seals ok	n1	27	28	TOD(4055=5).FTX[28](4451=CLR).C107.4441
CUSDEC		MESSAGE - UNLOADING REMARK.Unloading remark	an..350		28	TOD(4055=5).FTX[28](4451=CLR).C108.4440#1
CUSDEC		MESSAGE - UNLOADING REMARK.Unloading remark LNG	a2	12	28	TOD(4055=5).FTX[28](4451=CLR).3453
CUSDEC		MESSAGE - UNLOADING REMARK.Conform	n1		26	TOD[26](4055=5).4215
CUSDEC		MESSAGE - UNLOADING REMARK.Unloading completion	n1	27	26	TOD[26](4055=5).C100.4053
CUSDEC		MESSAGE - UNLOADING REMARK.Unloading date	n8		26	TOD[26](4055=5).C100.4052#1
CUSDEC		MESSAGE - RESULTS OF CONTROL				
CUSDEC		MESSAGE - RESULTS OF CONTROL.Description	an..140		11	FTX[11](4451=ABV).C108.4440#2
CUSDEC		MESSAGE - RESULTS OF CONTROL.Description LNG	a2	12	11	FTX[11](4451=ABV).3453
CUSDEC		MESSAGE - RESULTS OF CONTROL.Control indicator	an2	41	11	FTX[11](4451=ABV).C107.4441
CUSDEC		MESSAGE - RESULTS OF CONTROL.Pointer to the attribute	an..35		11	FTX[11](4451=ABV).C108.4440#1
CUSDEC		MESSAGE - RESULTS OF CONTROL.Corrected value	an..27		11	FTX[11](4451=ABV).C108.4440#4
CUSDEC		MESSAGE - REPRESENTATIVE				
CUSDEC		MESSAGE - REPRESENTATIVE.Name	an..35		22	NAD[22](3035=AH).C080.3036#1
CUSDEC		MESSAGE - REPRESENTATIVE.Representative capacity	an..35		11	FTX[11](4451=ACP).C108.4440#1
CUSDEC		MESSAGE - REPRESENTATIVE.Representative capacity LNG	a2	12	11	FTX[11](4451=ACP).3453
CUSDEC		MESSAGE - SEALS INFO				
CUSDEC		MESSAGE - SEALS INFO.Seals number	n..4		145	CNT[145](C270.6069=16).C270.6066
CUSDEC		MESSAGE - SEALS INFO - SEALS IE				
CUSDEC		MESSAGE - SEALS INFO - SEALS ID.Seals identity	an..20		10	SEL[10](9308=0).C215.9302
CUSDEC		MESSAGE - SEALS INFO - SEALS ID.Seals identity LNG	a2	12	10	SEL[10](9308=0).4517
CUSDEC		MESSAGE - GUARANTEE				
CUSDEC		MESSAGE - GUARANTEE.Guarantee type	an1	51	12	RFF[12](C506.1153=ABL).C506.1154

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE				
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Guarantee reference number (GRN)	an..24		14	RFF.PAC[14](7224=1).C402.7064#1
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Other guarantee reference	an..35		14	RFF.PAC[14](7224=1).C402.7064#2
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE.Access code	an4		14	RFF.PAC[14](7224=1).C402.7077
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION EC				
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION EC.Not valid for EC	n1	27	15	RFF.PAC.PCI[15](4233=19).C210.7102#1
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION NON EC				
CUSDEC		MESSAGE - GUARANTEE - GUARANTEE REFERENCE - VALIDITY LIMITATION NON EC.Not valid for other contracting parties	a2	71	15	RFF.PAC.PCI[15](4233=28).C210.7102#1
CUSDEC		MESSAGE - EN ROUTE EVENT				
CUSDEC		MESSAGE - EN ROUTE EVENT.Place	an..35		12	RFF[12](C506.1153=AIV).C506.1154
CUSDEC		MESSAGE - EN ROUTE EVENT.Place LNG	a2	12	12	RFF[12](C506.1153=AIV).C506.1156
CUSDEC		MESSAGE - EN ROUTE EVENT.Country code	a2	9	14	RFF.PAC[14](7224=2).C402.7077
CUSDEC		MESSAGE - EN ROUTE EVENT - CTL_CONTROL				
CUSDEC		MESSAGE - EN ROUTE EVENT - CTL_CONTROL.Already in NCTS	n1	27	13	RFF.DTM[13](C507.2005=311).C507.2380
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT				
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Incident flag	n1	27	14	RFF.PAC[14](7224=3).C531.7075
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Incident information	an..350		16	RFF.PAC.PCI.FTX[16](4451=ABM).C108.4440#1
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Incident information LNG	a2	12	16	RFF.PAC.PCI.FTX[16](4451=ABM).3453
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement date	n8		15	RFF.PAC.PCI[15](4233=18).C210.7102#1
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement authority	an..35		15	RFF.PAC.PCI[15](4233=18).C210.7102#2
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement authority LNG	a2	12	15	RFF.PAC.PCI[15](4233=18).C210.7102#3
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement place	an..35		15	RFF.PAC.PCI[15](4233=18).C210.7102#4
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement place LNG	a2	12	15	RFF.PAC.PCI[15](4233=18).C210.7102#5
CUSDEC		MESSAGE - EN ROUTE EVENT - INCIDENT.Endorsement country	a2	9	15	RFF.PAC.PCI[15](4233=18).C210.7102#6
CUSDEC		MESSAGE - EN ROUTE EVENT - SEALS INFC				
CUSDEC		MESSAGE - EN ROUTE EVENT - SEALS INFO.Seals number	n..4		14	RFF.PAC[14](7224=4).C402.7077
CUSDEC		MESSAGE - EN ROUTE EVENT - SEALS INFO - SEALS II				
CUSDEC		MESSAGE - EN ROUTE EVENT - SEALS INFO - SEALS ID.Seals identity	an..20		15	RFF.PAC.PCI[15](4233=21).C210.7102#1
CUSDEC		MESSAGE - EN ROUTE EVENT - SEALS INFO - SEALS ID.Seals identity LNC	a2	12	15	RFF.PAC.PCI[15](4233=21).C210.7102#2
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT				
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.New transport means identity	an..27		16	RFF.PAC.PCI.FTX[16](4451=TRA).C108.4440#1
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.New transport means identity LNG	a2	12	16	RFF.PAC.PCI.FTX[16](4451=TRA).3453
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.New transport means nationality	a2	8	14	RFF.PAC[14](7224=5).C202.7064
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement date	n8		15	RFF.PAC.PCI[15](4233=23).C210.7102#1
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement authority	an..35		15	RFF.PAC.PCI[15](4233=23).C210.7102#2
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement authority LNG	a2	12	15	RFF.PAC.PCI[15](4233=23).C210.7102#3
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement place	an..35		15	RFF.PAC.PCI[15](4233=23).C210.7102#4
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement place LNG	a2	12	15	RFF.PAC.PCI[15](4233=23).C210.7102#5
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT.Endorsement country	a2	9	15	RFF.PAC.PCI[15](4233=23).C210.7102#6
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT - CONTAINERS				
CUSDEC		MESSAGE - EN ROUTE EVENT - TRANSHIPMENT - CONTAINERS.Container number	an..17		15	RFF.PAC.PCI[15](4233=30).C210.7102#1
CUSDEC		MESSAGE - GOODS ITEM				

SAD Box			Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC	32	Item number corresponding to SAD box 31	MESSAGE - GOODS ITEM.Item number	n..5		92	CST[92].1496
CUSDEC	33	Commodity code (taric code)	MESSAGE - GOODS ITEM.Commodity code	an..22		92	CST[92].C246#1.7361
CUSDEC			MESSAGE - GOODS ITEM.Type of declaration	an..9	31	92	CST[92].C246#5.7361
CUSDEC	31	Description of goods	MESSAGE - GOODS ITEM.Goods description	an..280		93	CST.FTX[93](4451=AAA).C108.4440#1
CUSDEC			MESSAGE - GOODS ITEM.Goods description LNG	a2	12	93	CST.FTX[93](4451=AAA).3453
CUSDEC	35	Gross mass	MESSAGE - GOODS ITEM.Gross mass	n..11,3		96	CST.MEA[96](6311=WT)(C502.6313=AAB)(C174.6411=KGM).C174.6314
CUSDEC	38	Net mass	MESSAGE - GOODS ITEM.Net mass	n..11,3		96	CST.MEA[96](6311=WT)(C502.6313=AAA)(C174.6411=KGM).C174.6314
CUSDEC			MESSAGE - GOODS ITEM.Country of dispatch/export code	a2	8	94	CST.LOC[94](3227=35).C517.3225
CUSDEC			MESSAGE - GOODS ITEM.Country of destination code	a2	8	94	CST.LOC[94](3227=36).C517.3225
CUSDEC			MESSAGE - GOODS ITEM.Transport charges/ Method of Payment	a1	116	98	CST.TDT[98](8051=10).C228.8179
CUSDEC			MESSAGE - GOODS ITEM.Commercial Reference Number	an..70		93	CST.FTX[93](4451=IND).C108.4440#1
CUSDEC			MESSAGE - GOODS ITEM.UN dangerous goods code	an4	101	98	CST.TDT[98](8051=10).C222.8213
CUSDEC			MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES				
CUSDEC			MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document type	an..6	14	111	CST.DOC[111](C002.1001=190).C002.1000
CUSDEC	40	Summary declaration/previous document	MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document reference	an..35		111	CST.DOC[111](C002.1001=190).C503.1004
CUSDEC			MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Previous document reference LNG	a2	12	111	CST.DOC[111](C002.1001=190).C503.3453
CUSDEC			MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Complement of information	an..26		111	CST.DOC[111](C002.1001=190).C503.1366
CUSDEC			MESSAGE - GOODS ITEM - PREVIOUS ADMINISTRATIVE REFERENCES.Complement of information LNG	a2	12	111	CST.DOC[111](C002.1001=190).C503.1373
CUSDEC			MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES				
CUSDEC			MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document type	an..4	13	111	CST.DOC[111](C002.1001=916).C002.1000
CUSDEC	44	Summary declaration/previous document	MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document reference	an..35		111	CST.DOC[111](C002.1001=916).C503.1004
CUSDEC			MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Document reference LNG	a2	12	111	CST.DOC[111](C002.1001=916).C503.3453
CUSDEC			MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Complement of information	an..26		111	CST.DOC[111](C002.1001=916).C503.1366
CUSDEC			MESSAGE - GOODS ITEM - PRODUCED DOCUMENTS/CERTIFICATES.Complement of information LNG	a2	12	111	CST.DOC[111](C002.1001=916).C503.1373
CUSDEC			MESSAGE - GOODS ITEM - SPECIAL MENTIONS				
CUSDEC	44	Additional information	MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Additional information	an..70		117	CST.TOD(4055=2).FTX[117](4451=ACB).C108.4440#1
CUSDEC	44	Additional information language	MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Additional information LNG	a2	12	117	CST.TOD(4055=2).FTX[117](4451=ACB).3453
CUSDEC	44	Additional information code	MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Additional information coded	an..5	39	117	CST.TOD(4055=2).FTX[117](4451=ACB).C107.4441
CUSDEC			MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Export from EC	n1	27	115	CST.TOD[115](4055=2).C100.4053
CUSDEC			MESSAGE - GOODS ITEM - SPECIAL MENTIONS.Export from country	a2	63	115	CST.TOD[115](4055=2).C100.1131
CUSDEC			MESSAGE - GOODS ITEM - RESULTS OF CONTROL				
CUSDEC			MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Descriptor	an..140		93	CST.FTX[93](4451=ABV).C108.4440#2
CUSDEC			MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Description LNC	a2	12	93	CST.FTX[93](4451=ABV).3453
CUSDEC			MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Control indicator	an2	41	93	CST.FTX[93](4451=ABV).C107.4441

SAD Box			Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC			MESSAGE - GOODS ITEM - RESULTS OF CONTROL.Pointer to the attribute	an..35		93	CST.FTX[93](4451=ABV).C108.4440#1
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER				
CUSDEC	SAD/BIS 2	Consignor name	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Name	an..35		97	CST.NAD[97](3035=CZ).C080.3036#1
CUSDEC	SAD/BIS 2	Consignor street and number	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Street and number	an..35		97	CST.NAD[97](3035=CZ).C059.3042#1
CUSDEC	SAD/BIS 2	Consignor postal code	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Postal code	an..9		97	CST.NAD[97](3035=CZ).3251
CUSDEC	SAD/BIS 2	Consignor city	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.City	an..35		97	CST.NAD[97](3035=CZ).3164
CUSDEC	SAD/BIS 2	Consignor country	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.Country code	a2	8	97	CST.NAD[97](3035=CZ).3207
CUSDEC	SAD/BIS 2	Consignor NAD language	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.NAD LNG	a2	12	97	CST.NAD[97](3035=CZ).3229
CUSDEC	SAD/BIS 2	Consignor identification number	MESSAGE - GOODS ITEM - (CONSIGNOR) TRADER.TIN	an..17		97	CST.NAD[97](3035=CZ).C082.3039
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER				
CUSDEC	SAD/BIS 8	Consignee name	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Name	an..35		97	CST.NAD[97](3035=CN).C080.3036#1
CUSDEC	SAD/BIS 8	Consignee street and number	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Street and number	an..35		97	CST.NAD[97](3035=CN).C059.3042#1
CUSDEC	SAD/BIS 8	Consignee postal code	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Postal code	an..9		97	CST.NAD[97](3035=CN).3251
CUSDEC	SAD/BIS 8	Consignee city	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.City	an..35		97	CST.NAD[97](3035=CN).3164
CUSDEC	SAD/BIS 8	Consignee country	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.Country code	a2	8	97	CST.NAD[97](3035=CN).3207
CUSDEC	SAD/BIS 8	Consignee NAD language	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.NAD LNG	a2	12	97	CST.NAD[97](3035=CN).3229
CUSDEC	SAD/BIS 8	Consignee identification number	MESSAGE - GOODS ITEM - (CONSIGNEE) TRADER.TIN	an..17		97	CST.NAD[97](3035=CN).C082.3039
CUSDEC			MESSAGE - GOODS ITEM - CONTAINERS				
CUSDEC	31	Container no(s)	MESSAGE - GOODS ITEM - CONTAINERS.Container number	an..17		105	CST.RFF[105](C506.1153=AAQ).C506.1154
CUSDEC			MESSAGE - GOODS ITEM - PACKAGES				
CUSDEC	31	Marks and numbers of packages	MESSAGE - GOODS ITEM - PACKAGES.Marks & numbers of packages	an..42		100	CST.PAC(7224=6).PCI[100](4233=28).C210.7102#1
CUSDEC			MESSAGE - GOODS ITEM - PACKAGES.Marks & numbers of packages LNG	a2	12	100	CST.PAC(7224=6).PCI[100](4233=28).8275
CUSDEC	31	Kind of packages	MESSAGE - GOODS ITEM - PACKAGES.Kind of packages	an..3	17	99	CST.PAC[99](7224=6).C402.7077
CUSDEC	31	Number of packages	MESSAGE - GOODS ITEM - PACKAGES.Number of packages	n..5		99	CST.PAC[99](7224=6).C402.7064#1
CUSDEC	31	Number of pieces	MESSAGE - GOODS ITEM - PACKAGES.Number of pieces	n..5		99	CST.PAC[99](7224=6).C402.7064#2
CUSDEC			MESSAGE - GOODS ITEM - SGI CODES				
CUSDEC			MESSAGE - GOODS ITEM - SGI CODES.Sensitive goods code	n..2	64	131	CST.GIR[131](7297=3).C206#2.7402
CUSDEC			MESSAGE - GOODS ITEM - SGI CODES.Sensitive quantity	n..11,3		131	CST.GIR[131](7297=3).C206#1.7402
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER				
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.Name	an..35		97	CST.NAD[97](3035=GM).C080.3036#1
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.Street and number	an..35		97	CST.NAD[97](3035=GM).C059.3042#1
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.Postal code	an..9		97	CST.NAD[97](3035=GM).3251
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.City	an..35		97	CST.NAD[97](3035=GM).3164
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.Country code	a2	8	97	CST.NAD[97](3035=GM).3207
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.NAD LNG	a2	12	97	CST.NAD[97](3035=GM).3229
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNOR-SECURITY) TRADER.TIN	an..17		97	CST.NAD[97](3035=GM).C082.3039
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER				
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.Name	an..35		97	CST.NAD[97](3035=DP).C080.3036#1
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.Street and number	an..35		97	CST.NAD[97](3035=DP).C059.3042#1
CUSDEC			MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.Postal code	an..9		97	CST.NAD[97](3035=DP).3251

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSDEC		MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.City	an..35		97	CST.NAD[97](3035=DP).3164
CUSDEC		MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.Country code	a2	8	97	CST.NAD[97](3035=DP).3207
CUSDEC		MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.NAD LNG	a2	12	97	CST.NAD[97](3035=DP).3229
CUSDEC		MESSAGE - GOODS ITEM - (CONSIGNEE-SECURITY) TRADER.TIN	an..17		97	CST.NAD[97](3035=DP).C082.3039
CUSDEC		MESSAGE - GUARANTEE REFERENCE				
CUSDEC		MESSAGE - GUARANTEE REFERENCE.Guarantee reference number (GRN)	an..24		14	RFF.PAC[14](C531.7075=1).C402.7064#1
CUSDEC		MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON				
CUSDEC		MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Invalid guarantee reason code	an..3	52	16	RFF.PAC.PCI.FTX[16](4451=AUT).C107.4441
CUSDEC		MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Invalid guarantee reason	an..350		16	RFF.PAC.PCI.FTX[16](4451=AUT).C108.4440#1
CUSDEC		MESSAGE - GUARANTEE REFERENCE - INVALID GUARANTEE REASON.Invalid guarantee reason LNG	a2	12	16	RFF.PAC.PCI.FTX[16](4451=AUT).3453
CUSDEC		MESSAGE - ITINERARY				
CUSDEC		MESSAGE - ITINERARY.Country of routing code	a2	8	9	EQD[9](8053=CH).C237.3207
CUSDEC		MESSAGE - (CARRIER) TRADER				
CUSDEC		MESSAGE - (CARRIER) TRADER.Name	an..35		22	NAD[22](3035=GA).C080.3036#1
CUSDEC		MESSAGE - (CARRIER) TRADER.Street and number	an..35		22	NAD[22](3035=GA).C059.3042#1
CUSDEC		MESSAGE - (CARRIER) TRADER.Postal code	an..9		22	NAD[22](3035=GA).3251
CUSDEC		MESSAGE - (CARRIER) TRADER.City	an..35		22	NAD[22](3035=GA).3164
CUSDEC		MESSAGE - (CARRIER) TRADER.Country code	a2	8	22	NAD[22](3035=GA).3207
CUSDEC		MESSAGE - (CARRIER) TRADER.NAD LNG	a2	12	22	NAD[22](3035=GA).3229
CUSDEC		MESSAGE - (CARRIER) TRADER.TIN	an..17		22	NAD[22](3035=GA).C082.3039
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER				
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.Name	an..35		22	NAD[22](3035=GL).C080.3036#1
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.Street and number	an..35		22	NAD[22](3035=GL).C059.3042#1
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.Postal code	an..9		22	NAD[22](3035=GL).3251
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.City	an..35		22	NAD[22](3035=GL).3164
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.Country code	a2	8	22	NAD[22](3035=GL).3207
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.NAD LNG	a2	12	22	NAD[22](3035=GL).3229
CUSDEC		MESSAGE - (CONSIGNOR-SECURITY) TRADER.TIN	an..17		22	NAD[22](3035=GL).C082.3039
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER				
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.Name	an..35		22	NAD[22](3035=UC).C080.3036#1
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.Street and number	an..35		22	NAD[22](3035=UC).C059.3042#1
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.Postal code	an..9		22	NAD[22](3035=UC).3251
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.City	an..35		22	NAD[22](3035=UC).3164
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.Country code	a2	8	22	NAD[22](3035=UC).3207
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.NAD LNG	a2	12	22	NAD[22](3035=UC).3229
CUSDEC		MESSAGE - (CONSIGNEE-SECURITY) TRADER.TIN	an..17		22	NAD[22](3035=UC).C082.3039

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping	
CUSRES							
CUSRES		MESSAGE					
CUSRES		MESSAGE.Syntax identifier	a4	21	0	UNB[0].S001.0001	
CUSRES		MESSAGE.Syntax version number	n1	22	0	UNB[0].S001.0002	
CUSRES		MESSAGE.Message sender	an..35		0	UNB[0].S002.0004	
CUSRES		MESSAGE.Sender identification code qualifier	an..4		0	UNB[0].S002.0007	
CUSRES		MESSAGE.Message recipient	an..35		0	UNB[0].S003.0010	
CUSRES		MESSAGE.Recipient identification code qualifier	an..4		0	UNB[0].S003.0007	
CUSRES		MESSAGE.Date of preparation	n6		0	UNB[0].S004.0017	
CUSRES		MESSAGE.Time of preparation	n4		0	UNB[0].S004.0019	
CUSRES		MESSAGE.Interchange control reference	an..14		0	UNB[0].0020	
CUSRES		MESSAGE.Interchange control reference	an..14		53	UNZ[53].0020	
CUSRES		MESSAGE.Recipient's reference/password	an..14		0	UNB[0].S005.0022	
CUSRES		MESSAGE.Recipient's reference/password qualifier	an2		0	UNB[0].S005.0025	
CUSRES		MESSAGE.Application reference	an..14		0	UNB[0].0026	
CUSRES		MESSAGE.Priority	a1		0	UNB[0].0029	
CUSRES		MESSAGE.Acknowledgement request	n1	27	0	UNB[0].0031	
CUSRES		MESSAGE.Communications agreement id	an..35		0	UNB[0].0032	
CUSRES		MESSAGE.Test indicator	n1	27	0	UNB[0].0035	
CUSRES		MESSAGE.Message identification	an..14		52	UNT[52].0062	
CUSRES		MESSAGE.Message identification	an..14		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0062	
CUSRES		MESSAGE.Message type	an..6	60	1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S009.005	
CUSRES		MESSAGE.Common access reference	an..35		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0068	
CUSRES		MESSAGE.Message sequence number	n..2		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007	
CUSRES		MESSAGE.First and last transfer	a1	28	1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007	
CUSRES		MESSAGE - HEADER					
CUSRES	7	Reference number of the declaration	MESSAGE - HEADER.Reference number	an..22		12	RFF[12](C506.1153=ABE).C506.1154
CUSRES	C	Document/reference number	MESSAGE - HEADER.Document/reference number	an..21		2	BGM[2](1225=11).C106.1004
CUSRES		MESSAGE - HEADER.Acceptance date		n8		3	DTM[3](C507.2005=148).C507.2380
CUSRES		MESSAGE - HEADER.Cancellation decision		n1	27	7	GIS[7](C529.1131=70).C529.7365
CUSRES		MESSAGE - HEADER.Date of cancellation request		n8		3	DTM[3](C507.2005=318).C507.2380
CUSRES		MESSAGE - HEADER.Cancellation initiated by customs		n1	27	7	GIS[7](C529.1131=117).C529.7365
CUSRES		MESSAGE - HEADER.Date of cancellation decision		n8		3	DTM[3](C507.2005=193).C507.2380
CUSRES		MESSAGE - HEADER.Cancellation justification		an..350		4	FTX[4](4451=ABY).C108.4440#1
CUSRES		MESSAGE - HEADER.Cancellation justification LNG		a2	12	4	FTX[4](4451=ABY).3453
CUSRES		MESSAGE - HEADER.Goods release date		n8		3	DTM[3](C507.2005=261).C507.2380
CUSRES		MESSAGE - HEADER.Date of control notification		n8		3	DTM[3](C507.2005=184).C507.2380
CUSRES		MESSAGE - (PRINCIPAL) TRADER					
CUSRES		MESSAGE - (PRINCIPAL) TRADER.Name		an..35		9	NAD[9](3035=AF).C080.3036#1
CUSRES		MESSAGE - (PRINCIPAL) TRADER.Street and number		an..35		9	NAD[9](3035=AF).C059.3042#1
CUSRES		MESSAGE - (PRINCIPAL) TRADER.Postal code		an..9		9	NAD[9](3035=AF).3251
CUSRES		MESSAGE - (PRINCIPAL) TRADER.City		an..35		9	NAD[9](3035=AF).3164
CUSRES		MESSAGE - (PRINCIPAL) TRADER.Country code		a2	8	9	NAD[9](3035=AF).3207
CUSRES		MESSAGE - (PRINCIPAL) TRADER.NAD LNG		a2	12	9	NAD[9](3035=AF).3229
CUSRES		MESSAGE - (PRINCIPAL) TRADER.TIN		an..17		9	NAD[9](3035=AF).C082.3039
CUSRES		MESSAGE - (PRINCIPAL) TRADER.Holder ID TIR		an..17		9	NAD[9](3035=AF).C080.3036#2
CUSRES		MESSAGE - (DESTINATION) TRADER					
CUSRES		MESSAGE - (DESTINATION) TRADER.Name		an..35		9	NAD[9](3035=CPD).C080.3036#1
CUSRES		MESSAGE - (DESTINATION) TRADER.Street and number		an..35		9	NAD[9](3035=CPD).C059.3042#1
CUSRES		MESSAGE - (DESTINATION) TRADER.Postal code		an..9		9	NAD[9](3035=CPD).3251
CUSRES		MESSAGE - (DESTINATION) TRADER.City		an..35		9	NAD[9](3035=CPD).3164

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
CUSRES		MESSAGE - (DESTINATION) TRADER.Country code	a2	8	9	NAD[9](3035=CPD).3207
CUSRES		MESSAGE - (DESTINATION) TRADER.NAD LNG	a2	12	9	NAD[9](3035=CPD).3229
CUSRES		MESSAGE - (DESTINATION) TRADER.TIN	an..17		9	NAD[9](3035=CPD).C082.3039
CUSRES		MESSAGE - (DEPARTURE) CUSTOMS OFFICE				
CUSRES		MESSAGE - (DEPARTURE) CUSTOMS OFFICE.Reference number	an8		6	LOC[6](3227=118).C517.3225
CUSRES		MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE				
CUSRES		MESSAGE - (PRESENTATION OFFICE) CUSTOMS OFFICE.Reference number	an8		6	LOC[6](3227=22).C517.3225

SAD Box	Message Element	Data Type	Code list	Pos	EDIFACT Mapping
FUNACK					
FUNACK	MESSAGE				
FUNACK	MESSAGE.Syntax identifier	a4	21	0	UNB[0].S001.0001
FUNACK	MESSAGE.Syntax version number	n1	22	0	UNB[0].S001.0002
FUNACK	MESSAGE.Message sender	an..35		0	UNB[0].S002.0004
FUNACK	MESSAGE.Sender identification code qualifier	an..4		0	UNB[0].S002.0007
FUNACK	MESSAGE.Message recipient	an..35		0	UNB[0].S003.0010
FUNACK	MESSAGE.Recipient identification code qualifier	an..4		0	UNB[0].S003.0007
FUNACK	MESSAGE.Date of preparation	n6		0	UNB[0].S004.0017
FUNACK	MESSAGE.Time of preparation	n4		0	UNB[0].S004.0019
FUNACK	MESSAGE.Interchange control reference	an..14		0	UNB[0].0020
FUNACK	MESSAGE.Interchange control reference	an..14		53	UNZ[53].0020
FUNACK	MESSAGE.Recipient's reference/password	an..14		0	UNB[0].S005.0022
FUNACK	MESSAGE.Recipient's reference/password qualifier	an2		0	UNB[0].S005.0025
FUNACK	MESSAGE.Application reference	an..14		0	UNB[0].0026
FUNACK	MESSAGE.Priority	a1		0	UNB[0].0029
FUNACK	MESSAGE.Acknowledgement request	n1	27	0	UNB[0].0031
FUNACK	MESSAGE.Communications agreement id	an..35		0	UNB[0].0032
FUNACK	MESSAGE.Test indicator	n1	27	0	UNB[0].0035
FUNACK	MESSAGE.Message identification	an..14		52	UNT[52].0062
FUNACK	MESSAGE.Message identification	an..14		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0062
FUNACK	MESSAGE.Message type	an..6	60	1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S009.005
FUNACK	MESSAGE.Common access reference	an..35		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).0068
FUNACK	MESSAGE.Message sequence number	n..2		1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007
FUNACK	MESSAGE.First and last transfer	a1	28	1	UNH[1](S009.0065=CUSRES)(S009.0052=D)(S009.0054=96B)(S009.0051=UN).S010.007
FUNACK	MESSAGE - HEADER				
FUNACK	MESSAGE - HEADER.Reference number	an..22		12	RFF[12](C506.1153=ABE).C506.1154
FUNACK	MESSAGE - HEADER.Document/reference number	an..21		2	BGM[2](1225=11).C106.1004
FUNACK	MESSAGE - HEADER.Type of declaration	an..9	31	2	BGM[2](1225=11).C002.1000
FUNACK	MESSAGE - HEADER.Arrival rejection date	n8		3	DTM[3](C507.2005=46).C507.2380
FUNACK	MESSAGE - HEADER.Action to be taken	an..350		4	FTX[4](4451=ABD).C108.4440#1
FUNACK	MESSAGE - HEADER.Action to be taken LNG	a2	12	4	FTX[4](4451=ABD).3453
FUNACK	MESSAGE - HEADER.Arrival rejection reason	an..350		4	FTX[4](4451=ARR).C108.4440#1
FUNACK	MESSAGE - HEADER.Arrival rejection reason LNG	a2	12	4	FTX[4](4451=ARR).3453
FUNACK	MESSAGE - HEADER.Declaration rejection date	n8		3	DTM[3](C507.2005=46).C507.2380
FUNACK	MESSAGE - HEADER.Declaration rejection reason	an..350		4	FTX[4](4451=ACD).C108.4440#1
FUNACK	MESSAGE - HEADER.Declaration rejection reason LNG	a2	12	4	FTX[4](4451=ACD).3453
FUNACK	MESSAGE - HEADER.Unloading remarks rejection date	n8		3	DTM[3](C507.2005=357).C507.2380
FUNACK	MESSAGE - HEADER.Unloading remarks rejection reason	an..350		4	FTX[4](4451=ACD).C108.4440#1
FUNACK	MESSAGE - HEADER.Unloading remarks rejection reason LNG	a2	12	4	FTX[4](4451=ACD).3453
FUNACK	MESSAGE - (PRINCIPAL) TRADER				
FUNACK	MESSAGE - (PRINCIPAL) TRADER.Name	an..35		9	NAD[9](3035=AF).C080.3036#1
FUNACK	MESSAGE - (PRINCIPAL) TRADER.Street and number	an..35		9	NAD[9](3035=AF).C059.3042#1
FUNACK	MESSAGE - (PRINCIPAL) TRADER.Postal code	an..9		9	NAD[9](3035=AF).3251
FUNACK	MESSAGE - (PRINCIPAL) TRADER.City	an..35		9	NAD[9](3035=AF).3164
FUNACK	MESSAGE - (PRINCIPAL) TRADER.Country code	a2	8	9	NAD[9](3035=AF).3207
FUNACK	MESSAGE - (PRINCIPAL) TRADER.NAD LNG	a2	12	9	NAD[9](3035=AF).3229
FUNACK	MESSAGE - (PRINCIPAL) TRADER.TIN	an..17		9	NAD[9](3035=AF).C082.3039
FUNACK	MESSAGE - (PRINCIPAL) TRADER.Holder ID TIR	an..17		9	NAD[9](3035=AF).C080.3036#2
FUNACK	MESSAGE - (DEPARTURE) CUSTOMS OFFICE				
FUNACK	MESSAGE - (DEPARTURE) CUSTOMS OFFICE.Reference number	an8		6	LOC[6](3227=118).C517.3225
FUNACK	MESSAGE - FUNCTIONAL ERROR				
FUNACK	MESSAGE - FUNCTIONAL ERROR.Error type	n2	49	4	FTX[4](4451=AAO).C107.4441

SAD Box		Message Element	Data Type	Code list	Pos	EDIFACT Mapping
FUNACK		MESSAGE - FUNCTIONAL ERROR.Error pointer	an..210		4	FTX[4](4451=AAO).C108.4440#1
FUNACK		MESSAGE - FUNCTIONAL ERROR.Error reason	an..6		4	FTX[4](4451=AAO).C108.4440#4
FUNACK		MESSAGE - FUNCTIONAL ERROR.Original attribute value	an..140		4	FTX[4](4451=AAP).C108.4440#1